

SNR smurefni											
Eiginleikar og samsetning											
Smurefni / lýsing	UNIVERSAL	UNIVERSAL +	HEAVY DUTY	HEAVY DUTY +	VIB	HIGH TEMP	FOOD AL / FOOD	FOOD CHAIN OIL	CHAIN OIL	ULTRA HIGH TEMP	HIGH SPEED +
Þykkt NLGI	2	2	2	2	2	2	2	/	/	2	2
Grunn olía	Mineral	Mineral	Mineral	Mineral	Semi-synthetic	Semi-synthetic	Parafinic Mineral/PAO	Ester + PAO	Ester + PAO	Perfluorinated Polyether Synthetic	Ester + SHC
Þykkir / grunnur	Lithium	Lithium / Calcium	Lithium with EP additives	Lithium with EP additives	Lithium / Calcium	Polyurea	Aluminium complex	/	/	PTFE	Lithium / Calcium
Litur	Amber	Ljós brúnn	Amber	Brúnn	Ljós brúnn	Ljós brúnn	Föl gulur	Litlaus	Föl grænn	Hvítur	Ljós brúnn
Segja við 40°C	115	220	115	150	360	160	248 / 195	220	320 (*)	460	25
Segja við 100°C	11	6,5	11	15	25	18	24 / 22	26	28 (*)	40	5.8
Vinnuhiti °C	-25/+140	-30/+130	-25/+140	-30/+150	-20/+140	-40/+160	-25/+120/-30/+120	-30/+120	-20/+250	-30/+260	-45/+120
Dropamark DIN ISO2176	> 190°C	> 170°C	> 190°C	> 190°C	> 190°C	> 250°C	>200°C / >220°C	Flotmörk <-30	Flotmörk <-25	Ekki mælanlegt	> 180
Hentar meðal álagi	+		++		+	+	+	/	/	++	+
Hentar miklu álagi	-		++		++	-	+	/	/	++	-
Hraði < 100.000 nDm	+		+		++	+	+	/	/	++	-
Hraði 100.000 < nDm	+		+		-	+	+	/	/	+	++
Eiginleikar í raka	++		++		+	+	+	/	/	+	++
Vögguhreyfingar	+		+		++	++	+	/	/	++	+
Viðloðun	+		+		++	++	+	/	/	++	+
Lítið átak	+		+		-	+	+	/	/	-	++
Tæringarvörn	++		++		+	+	+	/	/	+	++
Efnapól	-		-		-	-	-	/	/	++	-
Dælingarhæfni	++		++		++	++	++	/	/	++	++
Einingar	400 gr hylki 1 kg dósir 5 kg fötur 23 & 50 kg tunnur	Smurpungar	400 gr hylki 1 kg dósir 5 kg fötur 23, 50 & 190 kg tunnur	Smurpungar	400 gr hylki 1 kg dósir 50 kg tunna Smurpungar	400 gr hylki 1 kg dósi Smurpungar	Food Al: 400 gr hylki 1 kg dósi Food: Smurpungar	Smurpungar	Smurpungar	800 gr hylki	1 kg dósi
Athugasemdir	Hét áður: MS		Hét áður: EP		Hét áður: VX	Hét áður: HT	Stenst kröfur NSF sem H1 vara	Stenst kröfur NSF sem H1 vara	Viðloðun grunnolíu við 20°C = 1200cSt	Ekki er hægt að mæla flotmörk feiti þar sem hún bráðnar ekki	Fylgist með magni
nDm: sn/mín*þvermál mm		++ Hentar frábærlega		+ Hentar vel		- Ekki mælt með		/ Á ekki við			