


Keðjur


Staðlar og málsetningar






BS breskur staðall					
Númer	A "	A mm	B mm	L mm	Brotþol =N
Bs 110500 8		8,0	5,0	3,0	5.000
Bs 110038 3/8	3/8	9,5	5,7	6,3	8.900
Bs 110046 1/2	1/2	12,7	8,5	7,7	17.800
Bs 110056 5/8	5/8	15,9	10,1	9,6	22.200
Bs 110066 3/4	3/4	19,1	12,1	11,6	28.900
Bs 110088 1	1	25,4	15,8	17,0	60.000
Bs 110106 1 1/4	1 1/4	31,8	19,1	19,1	95.000
Bs 110127 1 1/2	1 1/2	38,1	25,4	25,4	160.000
AS amerískur staðall					
Númer	A "	A mm	B mm	L mm	Brotþol =N
As 129033 3/8	3/8	9,5	5,0	4,7	7.825
As 119043 1/2	1/2	12,7	7,9	7,9	13.800
As 119053 5/8	5/8	15,9	10,1	9,5	21.800
As 119063 3/4	3/4	19,1	11,9	12,7	31.100
As 119083 1	1	25,4	15,8	15,8	55.600
As 119104 1 1/4	1 1/4	31,8	19,1	19,1	86.700
As 119124 1 1/2	1 1/2	38,1	22,2	25,4	124.600
A= Hlekk lengd, miður pinni í miðjan pinna					
B = Þvermál rúllu					
L = Lengd rúllu					
Brotþol er beint togátak mælt í Nm					

AS keðjur - einfaldar




Stærð	Milli pinna mm	Yfir pinna mm	Þykkt rúllu mm	Þykkt pinna mm
AS 123023 1/4"	6,4	8,6	3,3	2,3
AS 129033 3/8"	9,5	15,5	5,8	3,6
AS 119043 1/2"	12,7	17,8	7,9	4,0
AS 119053 5/8"	15,9	21,8	10,2	5,1
AS 1190633/4"	19,1	26,9	11,9	6,0
AS 119083 1"	25,4	33,5	15,9	7,9
AS119104 1 1/4"	31,8	41,1	19,1	9,5
AS 119124 1 1/2"	38,1	50,8	22,2	11,1
AS 119144 1 3/4"	44,5	54,9	25,4	12,7
AS 119164 2"	50,8	65,5	28,6	14,3

AS keðjur - tvöfaldar




Stærð	Milli pinna mm	Yfir pinna mm	Þykkt rúllu mm	Þykkt pinna mm
AS 125033 3/8"	9,5	25,7	5,1	3,6
AS 115043 1/2"	12,7	32,2	7,9	4,0
AS 115053 5/8"	15,9	39,9	10,2	5,1
AS 115063 3/4"	19,1	49,8	11,9	6,0
AS 115083 1"	25,4	62,7	15,9	7,9
AS 115104 1 1/4"	31,8	77,0	19,1	9,5
AS 115124 1 1/2"	38,1	96,3	22,2	11,1
AS 115144 1 3/4"	44,5	103,6	25,4	12,7
AS 115164 2"	50,8	124,2	28,6	14,3

AS keðjur - þrefaldar




Stærð	Milli pinna mm	Yfir pinna mm	Þykkt rúllu mm	Þykkt pinna mm
AS 125033 3/8"	9,5	34,0	5,1	3,6
AS 115043 1/2"	12,7	46,2	7,9	4,0
AS 115053 5/8"	15,9	57,9	10,2	5,1
AS 115063 3/4"	19,1	72,6	11,9	6,0
AS 115083 1"	25,4	91,9	15,9	7,9
AS 115104 1 ¼"	31,8	113,0	19,1	9,5
AS 115124 1 ½"	38,1	141,7	22,2	11,1
AS 115144 1 ¾"	44,5	152,4	25,4	12,7
AS 115164 2"	50,8	182,9	28,6	14,3

AS keðjur - fjórfaldar




Stærð	Milli pinna mm	Yfir pinna mm	Þykkt rúllu mm	Þykkt pinna mm
AS 118053 5/8"	15,9	75,2	10,2	5,1
AS 118063 3/4"	119,1	94,3	11,9	6,0
AS 118083 1"	25,4	120,7	15,8	7,9
AS 118103 1 ¼"	31,8	147,1	19,1	9,6
AS 118123 1 ½"	38,1	185,7	22,2	11,1

BS keðjur - einfaldar




Stærð	Milli pinna mm	Yfir pinna mm	Þykkt rúllu mm	Þykkt pinna mm
1141 4mm	4,0	6,8	2,5	1,7
1151 5mm	5,0	7,4	3,2	1,5
1161 6mm	6,0	7,4	4,0	1,9
BS 110500 8mm	8,0	8,6	5,0	2,3
BS 110038 3/8"	9,5	13,5	3,4	3,3
BS 111044 1/2"	12,7	9,8	7,8	4,1
BS 111046 1/2"	12,7	11,4	7,8	4,1
BS 110044 1/2"	12,7	14,5	8,5	4,5
BS 110046 1/2"	12,7	16,5	8,5	4,5
BS 110054 5/8"	15,9	16,0	10,2	5,1
BS 110056 5/8"	15,9	18,8	10,2	5,1
BS 110066 3/4"	19,1	22,7	12,7	5,7
BS 110088 1"	25,4	36,1	15,9	8,3
BS 110106 1 ¼"	31,8	43,2	19,1	10,2
BS 110127 1 ½"	38,1	53,4	25,4	14,6
BS 110047 1 ¾"	44,5	65,1	27,9	15,9
BS 110166 2"	50,8	67,4	29,2	17,8

BS keðjur - tvöfaldar




Stærð	Milli pinna mm	Yfir pinna mm	Þykkt rúllu mm	Þykkt pinna mm
BS 114500 8mm	8,0	14,3	5,0	2,3
BS 114038 3/8"	9,5	23,8	6,4	3,3
BS 114046 1/2"	12,7	31,0	8,5	4,5
BS 114056 5/8"	15,9	35,4	10,2	5,1
BS 114066 3/4"	19,1	42,2	12,1	5,7
BS 114088 1"	25,4	68,0	15,9	8,3
BS 114106 1 ¼"	31,8	79,7	19,1	10,2
BS 114127 1 ½"	38,1	101,8	25,4	14,6
BS 114147 1 ¾"	44,5	124,7	31,0	15,9
BS 114166 2"	50,8	126,0	29,2	17,8

BS keðjur - þrefaldar



Stærð	Milli pinna mm	Yfir pinna mm	Þykkt rúllu mm	Þykkt pinna mm
BS 116038 3/8"	9,5	34,0	6,4	3,3
BS 116046 1/2"	12,7	44,9	8,5	4,5
BS 116056 5/8"	15,9	52,8	10,2	5,1
BS 116066 3/4"	19,1	61,7	12,1	5,7
BS 116088 1"	25,4	99,9	17,0	8,3
BS 116106 1 1/4"	31,8	116,1	19,1	10,2
BS 116127 1 1/2"	38,1	150,2	25,4	14,6
BS 116147 1 3/4"	44,5	184,3	27,9	15,9
BS 116166 2"	50,8	184,5	29,2	17,8

Mótorhjólakeðjur



Stærð	Milli pinna mm	Yfir pinna mm	Þykkt rúllu mm	Þykkt á kinn mm
428 alpa	12,7	20,1	8,5	1,8
520 alpa	15,9	21,3	10,2	2,4
525 alpa	15,9	22,6	10,2	2,4
530 alpa	15,9	24,9	10,2	2,4